

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	4	0.3
		2	13 years old	1	0.0
		3	14 years old	271	18.2
		4	15 years old	344	22.8
		5	16 years old	402	24.6
		6	17 years old	331	25.9
		7	18 years old or older	72	8.2
		Missing	2		
18-18	Q2	What is your sex?			
		1	Female	700	48.8
		2	Male	717	51.2
			Missing	10	
19-19	Q3	In what grade are you?			
		1	9th grade	376	25.2
		2	10th grade	351	24.8
		3	11th grade	449	24.6
		4	12th grade	235	25.3
		5	Ungraded or other grade	2	0.1
		Missing	14		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	189	17.8
		2	No	1,221	82.2
			Missing	17	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		F	3	0.2
		E	1,186	81.8
		D	7	0.6
		DE	2	0.2
		C	37	7.9
		C E	15	1.0
		B	27	2.6
		B H	1	0.1
		B E	17	1.2
		B D	1	0.1
		B DE	1	0.1
		BC	1	0.1
		A	29	1.9
		A E	34	2.1
		A C	1	0.1
		A C E	3	0.1
			62	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	Q8	How often do you wear a seat belt when riding in a car driven by someone else?		
		1 Never	33	2.7
		2 Rarely	78	5.9
		3 Sometimes	139	8.9
		4 Most of the time	384	24.6
		5 Always	785	58.0
		Missing	8	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
40-40	Q9	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?			
		1	0 times	1,120	77.9
		2	1 time	131	10.2
		3	2 or 3 times	101	7.0
		4	4 or 5 times	23	1.8
		5	6 or more times	42	3.2
		Missing	10		
41-41	Q10	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
		1	I did not drive a car or other vehicle during the past 30 days	334	27.9
		2	0 times	898	67.5
		3	1 time	27	1.8
		4	2 or 3 times	27	2.2
		5	4 or 5 times	4	0.3
		6	6 or more times	3	0.2
		Missing	134		
42-42	Q11	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
		1	I did not drive a car or other vehicle during the past 30 days	333	27.5
		2	0 days	512	37.4
		3	1 or 2 days	139	9.9
		4	3 to 5 days	74	6.4
		5	6 to 9 days	41	2.5
		6	10 to 19 days	49	4.1
		7	20 to 29 days	50	3.4
		8	All 30 days	105	8.8
		Missing	124		
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
		1	0 days	1,326	94.6
		2	1 day	28	1.9
		3	2 or 3 days	18	1.3
		4	4 or 5 days	10	1.0
		5	6 or more days	24	1.3
		Missing	21		

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
		1	0 days	1,327	92.5
		2	1 day	61	4.6
		3	2 or 3 days	18	1.3
		4	4 or 5 days	4	0.2
		5	6 or more days	16	1.4
			Missing	1	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	1,322	92.9
		2	1 time	52	3.4
		3	2 or 3 times	26	1.6
		4	4 or 5 times	11	1.1
		5	6 or 7 times	5	0.2
		6	8 or 9 times	0	0.0
		7	10 or 11 times	1	0.1
		8	12 or more times	8	0.7
	Missing	2			
48-48	Q17	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	1,108	80.8
		2	1 time	137	9.1
		3	2 or 3 times	96	6.4
		4	4 or 5 times	25	1.5
		5	6 or 7 times	8	0.4
		6	8 or 9 times	2	0.3
		7	10 or 11 times	4	0.4
		8	12 or more times	15	1.1
	Missing	32			

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
49-49	Q18	During the past 12 months, how many times were you in a physical fight on school property?			
		1	0 times	1,325	94.0
		2	1 time	66	4.1
		3	2 or 3 times	15	1.1
		4	4 or 5 times	3	0.1
		5	6 or 7 times	3	0.4
		6	8 or 9 times	0	0.0
		7	10 or 11 times	0	0.0
		8	12 or more times	3	0.2
		Missing	12		
50-50	Q19	Have you ever been physically forced to have sexual intercourse when you did not want to?			
		1	Yes	116	8.4
		2	No	1,298	91.6
		Missing	13		
51-51	Q20	During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do?			
		1	0 times	1,263	89.9
		2	1 time	59	4.6
		3	2 or 3 times	48	3.3
		4	4 or 5 times	13	1.5
		5	6 or more times	9	0.7
		Missing	35		
52-52	Q21	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?			
		1	I did not date or go out with anyone during the past 12 months	507	38.2
		2	0 times	787	57.0
		3	1 time	23	1.7
		4	2 or 3 times	22	1.9
		5	4 or 5 times	5	0.7
		6	6 or more times	6	0.5
		Missing	77		

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?		
		1 I did not date or go out with anyone during the past 12 months	507	37.5
		2 0 times	806	57.9
		3 1 time	22	1.6
		4 2 or 3 times	20	1.5
		5 4 or 5 times	5	0.3
		6 6 or more times	14	1.2
		Missing	53	
54-54	Q23	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	327	22.4
		2 No	1,081	77.6
		Missing	19	
55-55	Q24	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	266	17.5
		2 No	1,154	82.5
		Missing	7	
56-56	Q25	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	396	27.0
		2 No	1,025	73.0
		Missing	6	
57-57	Q26	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	250	16.1
		2 No	1,163	83.9
		Missing	14	
58-58	Q27	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1 Yes	213	14.1
		2 No	1,208	85.9
		Missing	6	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
59-59	Q28	During the past 12 months, how many times did you actually attempt suicide?			
		1	0 times	1,181	92.0
		2	1 time	54	4.7
		3	2 or 3 times	34	2.3
		4	4 or 5 times	7	0.5
		5	6 or more times	10	0.6
		Missing	141		
60-60	Q29	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?			
		1	I did not attempt suicide during the past 12 months	1,161	92.2
		2	Yes	25	2.2
		3	No	75	5.6
		Missing	166		
61-61	Q30	Have you ever tried cigarette smoking, even one or two puffs?			
		1	Yes	348	24.0
		2	No	1,015	76.0
		Missing	64		
62-62	Q31	How old were you when you first tried cigarette smoking, even one or two puffs?			
		1	I have never tried cigarette smoking, not even one or two puffs	1,017	75.5
		2	8 years old or younger	36	2.7
		3	9 or 10 years old	32	1.8
		4	11 or 12 years old	60	4.0
		5	13 or 14 years old	115	8.2
		6	15 or 16 years old	100	6.6
		7	17 years old or older	12	1.3
		Missing	55		

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
63-63	Q32	During the past 30 days, on how many days did you smoke cigarettes?			
		1	0 days	1,257	92.6
		2	1 or 2 days	37	2.7
		3	3 to 5 days	15	1.1
		4	6 to 9 days	17	1.0
		5	10 to 19 days	8	0.6
		6	20 to 29 days	11	0.9
		7	All 30 days	22	1.2
		Missing	60		
64-64	Q33	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
		1	I did not smoke cigarettes during the past 30 days	1,258	92.5
		2	Less than 1 cigarette per day	33	2.3
		3	1 cigarette per day	23	1.7
		4	2 to 5 cigarettes per day	39	2.4
		5	6 to 10 cigarettes per day	11	0.8
		6	11 to 20 cigarettes per day	1	0.0
		7	More than 20 cigarettes per day	3	0.3
		Missing	59		
65-65	Q34	Have you ever used an electronic vapor product?			
		1	Yes	485	36.1
		2	No	913	63.9
		Missing	29		
66-66	Q35	During the past 30 days, on how many days did you use an electronic vapor product?			
		1	0 days	1,148	90.6
		2	1 or 2 days	46	3.3
		3	3 to 5 days	20	1.5
		4	6 to 9 days	16	1.2
		5	10 to 19 days	19	1.6
		6	20 to 29 days	7	0.6
		7	All 30 days	12	1.2
		Missing	159		

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
67-67	Q36	During the past 30 days, how did you usually get your own electronic vapor products?		
		1	I did not use any electronic vapor products during the past 30 days	1,163 90.5
		2	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	16 1.6
		3	I got them on the Internet	6 0.3
		4	I gave someone else money to buy them for me	24 1.8
		5	I borrowed them from someone else	49 3.5
		6	A person 18 years old or older gave them to me	9 0.7
		7	I took them from a store or another person	2 0.3
		8	I got them some other way	16 1.4
		Missing	142	
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs?		
		1	0 days	1,323 94.7
		2	1 or 2 days	30 1.9
		3	3 to 5 days	14 0.9
		4	6 to 9 days	8 0.5
		5	10 to 19 days	9 0.5
		6	20 to 29 days	8 0.4
		7	All 30 days	18 1.1
		Missing	17	
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1	0 days	1,320 93.3
		2	1 or 2 days	39 3.3
		3	3 to 5 days	20 1.4
		4	6 to 9 days	10 0.7
		5	10 to 19 days	7 0.6
		6	20 to 29 days	3 0.3
		7	All 30 days	6 0.4
		Missing	22	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
70-70	Q39	During the past 12 months, did you ever try to quit using all tobacco products, including cigarettes, cigars, smokeless tobacco, shisha or hookah tobacco, and electronic vapor products?			
		1	I did not use any tobacco products during the past 12 months	1,004	78.6
		2	Yes	119	8.8
		3	No	150	12.6
			Missing	154	
71-71	Q40	During your life, on how many days have you had at least one drink of alcohol?			
		1	0 days	637	46.0
		2	1 or 2 days	215	15.9
		3	3 to 9 days	203	15.8
		4	10 to 19 days	110	7.8
		5	20 to 39 days	75	5.2
		6	40 to 99 days	68	5.0
		7	100 or more days	60	4.2
	Missing	59			
72-72	Q41	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	710	51.7
		2	8 years old or younger	59	4.1
		3	9 or 10 years old	53	3.5
		4	11 or 12 years old	83	5.7
		5	13 or 14 years old	202	15.1
		6	15 or 16 years old	216	17.2
		7	17 years old or older	26	2.7
	Missing	78			
73-73	Q42	During the past 30 days, on how many days did you have at least one drink of alcohol?			
		1	0 days	1,005	75.6
		2	1 or 2 days	171	14.6
		3	3 to 5 days	57	3.9
		4	6 to 9 days	41	3.7
		5	10 to 19 days	20	1.4
		6	20 to 29 days	4	0.2
		7	All 30 days	6	0.6
	Missing	123			

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
74-74	Q43	During the past 30 days, how did you usually get the alcohol you drank?			
		1	I did not drink alcohol during the past 30 days	1,000	75.2
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	7	0.5
		3	I bought it at a restaurant, bar, or club	2	0.3
		4	I bought it at a public event such as a concert or sporting event	0	0.0
		5	I gave someone else money to buy it for me	60	5.0
		6	Someone gave it to me	97	7.7
		7	I took it from a store or family member	57	4.8
		8	I got it some other way	84	6.4
			Missing	120	
75-75	Q44	During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row (if you are female) or 5 or more drinks of alcohol in a row (if you are male)?			
		1	0 days	1,189	89.5
		2	1 day	41	3.6
		3	2 days	29	2.6
		4	3 to 5 days	34	2.6
		5	6 to 9 days	13	1.2
		6	10 to 19 days	1	0.1
		7	20 or more days	7	0.6
	Missing	113			
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row?			
		1	I did not drink alcohol during the past 30 days	996	77.6
		2	1 or 2 drinks	106	9.5
		3	3 drinks	19	1.4
		4	4 drinks	10	0.9
		5	5 drinks	26	3.1
		6	6 or 7 drinks	42	3.7
		7	8 or 9 drinks	17	1.2
		8	10 or more drinks	38	2.7
	Missing	173			

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
77-77	Q46	During your life, how many times have you used marijuana?			
		1	0 times	1,076	74.6
		2	1 or 2 times	85	6.7
		3	3 to 9 times	57	5.1
		4	10 to 19 times	37	3.5
		5	20 to 39 times	36	2.5
		6	40 to 99 times	32	2.6
		7	100 or more times	70	5.0
		Missing	34		
78-78	Q47	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	1,076	74.3
		2	8 years old or younger	14	1.0
		3	9 or 10 years old	8	0.5
		4	11 or 12 years old	45	3.8
		5	13 or 14 years old	113	8.2
		6	15 or 16 years old	126	10.9
		7	17 years old or older	14	1.3
		Missing	31		
79-79	Q48	During the past 30 days, how many times did you use marijuana?			
		1	0 times	1,231	86.6
		2	1 or 2 times	64	5.4
		3	3 to 9 times	41	3.7
		4	10 to 19 times	20	1.3
		5	20 to 39 times	8	0.6
		6	40 or more times	28	2.4
		Missing	35		
80-80	Q49	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	1,357	95.9
		2	1 or 2 times	23	1.5
		3	3 to 9 times	13	1.3
		4	10 to 19 times	10	0.7
		5	20 to 39 times	2	0.2
		6	40 or more times	3	0.4
		Missing	19		

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
81-81	Q50	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?			
		1	0 times	1,317	94.0
		2	1 or 2 times	49	3.3
		3	3 to 9 times	21	1.3
		4	10 to 19 times	9	0.6
		5	20 to 39 times	5	0.3
		6	40 or more times	6	0.5
		Missing	20		
82-82	Q51	During your life, how many times have you used heroin (also called smack, junk, or China White)?			
		1	0 times	1,373	97.9
		2	1 or 2 times	4	0.3
		3	3 to 9 times	9	0.9
		4	10 to 19 times	5	0.4
		5	20 to 39 times	6	0.5
		6	40 or more times	1	0.1
		Missing	29		
83-83	Q52	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?			
		1	0 times	1,372	97.0
		2	1 or 2 times	21	1.8
		3	3 to 9 times	6	0.5
		4	10 to 19 times	3	0.2
		5	20 to 39 times	4	0.4
		6	40 or more times	3	0.2
		Missing	18		
84-84	Q53	During your life, how many times have you used ecstasy (also called MDMA)?			
		1	0 times	1,358	96.1
		2	1 or 2 times	22	1.8
		3	3 to 9 times	13	0.9
		4	10 to 19 times	10	0.8
		5	20 to 39 times	4	0.3
		6	40 or more times	1	0.1
		Missing	19		

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
85-85	Q54	During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?			
		1	0 times	1,324	94.8
		2	1 or 2 times	43	3.1
		3	3 to 9 times	13	1.2
		4	10 to 19 times	8	0.4
		5	20 to 39 times	6	0.3
		6	40 or more times	5	0.3
		Missing	28		
86-86	Q55	During your life, how many times have you taken steroid pills or shots without a doctor's prescription?			
		1	0 times	1,366	96.5
		2	1 or 2 times	9	0.8
		3	3 to 9 times	18	1.3
		4	10 to 19 times	8	0.7
		5	20 to 39 times	3	0.3
		6	40 or more times	3	0.3
		Missing	20		
87-87	Q56	During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?			
		1	0 times	1,205	85.7
		2	1 or 2 times	88	6.2
		3	3 to 9 times	56	4.3
		4	10 to 19 times	25	1.6
		5	20 to 39 times	13	0.8
		6	40 or more times	14	1.4
		Missing	26		
88-88	Q57	During your life, how many times have you used a needle to inject any illegal drug into your body?			
		1	0 times	1,372	98.4
		2	1 time	12	0.8
		3	2 or more times	10	0.8
		Missing	33		

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
89-89	Q58	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	250	18.5
		2 No	1,137	81.5
		Missing	40	
90-90	Q59	Have you ever had sexual intercourse?		
		1 Yes	380	29.1
		2 No	891	70.9
		Missing	156	
91-91	Q60	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	891	70.6
		2 11 years old or younger	24	1.4
		3 12 years old	16	1.4
		4 13 years old	23	1.8
		5 14 years old	90	6.3
		6 15 years old	115	8.1
		7 16 years old	91	7.6
		8 17 years old or older	27	2.6
Missing	150			
92-92	Q61	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	892	70.9
		2 1 person	176	13.9
		3 2 people	72	5.3
		4 3 people	50	4.0
		5 4 people	26	1.8
		6 5 people	19	1.1
		7 6 or more people	37	3.1
Missing	155			
93-93	Q62	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	888	70.7
		2 I have had sexual intercourse, but not during the past 3 months	113	8.8
		3 1 person	220	16.8
		4 2 people	27	2.0
		5 3 people	12	0.9
		6 4 people	3	0.4
		7 5 people	3	0.2
		8 6 or more people	3	0.2
Missing	158			

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
94-94	Q63	Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
		1	I have never had sexual intercourse	889	70.6
		2	Yes	49	4.2
		3	No	335	25.1
			Missing	154	
95-95	Q64	The last time you had sexual intercourse, did you or your partner use a condom?			
		1	I have never had sexual intercourse	888	70.9
		2	Yes	221	17.2
		3	No	158	11.9
			Missing	160	
96-96	Q65	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	889	71.0
		2	No method was used to prevent pregnancy	47	3.4
		3	Birth control pills	59	4.8
		4	Condoms	172	13.2
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	20	1.5
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	19	1.4
		7	Withdrawal or some other method	43	3.6
		8	Not sure	15	1.1
	Missing	163			
97-97	Q66	During your life, with whom have you had sexual contact?			
		1	I have never had sexual contact	742	56.1
		2	Females	299	22.3
		3	Males	250	18.4
		4	Females and males	39	3.2
	Missing	97			

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
98-98	Q67	Which of the following best describes you?		
		1 Heterosexual (straight)	1,195	86.5
		2 Gay or lesbian	29	1.9
		3 Bisexual	100	6.9
		4 Not sure	61	4.6
		Missing	42	
99-99	Q68	How do you describe your weight?		
		1 Very underweight	41	3.4
		2 Slightly underweight	192	14.2
		3 About the right weight	713	53.1
		4 Slightly overweight	358	24.4
		5 Very overweight	66	5.0
		Missing	57	
100-100	Q69	Which of the following are you trying to do about your weight?		
		1 Lose weight	617	43.8
		2 Gain weight	214	16.0
		3 Stay the same weight	235	16.4
		4 I am not trying to do anything about my weight	325	23.8
		Missing	36	
101-101	Q70	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	419	31.0
		2 1 to 3 times during the past 7 days	572	40.8
		3 4 to 6 times during the past 7 days	174	12.7
		4 1 time per day	103	7.0
		5 2 times per day	59	4.6
		6 3 times per day	20	1.9
		7 4 or more times per day	28	2.1
		Missing	52	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
102-102	Q71	During the past 7 days, how many times did you eat fruit?			
		1	I did not eat fruit during the past 7 days	154	12.1
		2	1 to 3 times during the past 7 days	459	32.3
		3	4 to 6 times during the past 7 days	332	22.7
		4	1 time per day	172	12.3
		5	2 times per day	160	12.0
		6	3 times per day	54	4.3
		7	4 or more times per day	52	4.3
		Missing	44		
103-103	Q72	During the past 7 days, how many times did you eat green salad?			
		1	I did not eat green salad during the past 7 days	569	42.7
		2	1 to 3 times during the past 7 days	544	38.8
		3	4 to 6 times during the past 7 days	131	9.1
		4	1 time per day	92	6.2
		5	2 times per day	27	1.8
		6	3 times per day	6	0.6
		7	4 or more times per day	12	0.7
		Missing	46		
104-104	Q73	During the past 7 days, how many times did you eat potatoes?			
		1	I did not eat potatoes during the past 7 days	420	31.2
		2	1 to 3 times during the past 7 days	720	51.4
		3	4 to 6 times during the past 7 days	146	10.6
		4	1 time per day	51	3.7
		5	2 times per day	16	1.5
		6	3 times per day	5	0.5
		7	4 or more times per day	14	1.1
		Missing	55		
105-105	Q74	During the past 7 days, how many times did you eat carrots?			
		1	I did not eat carrots during the past 7 days	689	49.6
		2	1 to 3 times during the past 7 days	477	34.7
		3	4 to 6 times during the past 7 days	135	9.7
		4	1 time per day	52	4.0
		5	2 times per day	15	0.9
		6	3 times per day	3	0.2
		7	4 or more times per day	10	0.9
		Missing	46		

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
106-106	Q75	During the past 7 days, how many times did you eat other vegetables?		
		1	I did not eat other vegetables during the past 7 days	229 16.9
		2	1 to 3 times during the past 7 days	582 40.4
		3	4 to 6 times during the past 7 days	288 21.7
		4	1 time per day	138 10.5
		5	2 times per day	90 6.5
		6	3 times per day	25 2.0
		7	4 or more times per day	23 2.0
			Missing	52
107-107	Q76	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1	I did not drink soda or pop during the past 7 days	361 28.5
		2	1 to 3 times during the past 7 days	517 36.2
		3	4 to 6 times during the past 7 days	233 17.1
		4	1 time per day	124 8.0
		5	2 times per day	71 5.6
		6	3 times per day	21 1.9
		7	4 or more times per day	39 2.8
			Missing	61
108-108	Q77	During the past 7 days, how many glasses of milk did you drink?		
		1	I did not drink milk during the past 7 days	229 17.5
		2	1 to 3 glasses during the past 7 days	348 26.4
		3	4 to 6 glasses during the past 7 days	254 17.9
		4	1 glass per day	227 16.8
		5	2 glasses per day	156 11.4
		6	3 glasses per day	86 5.4
		7	4 or more glasses per day	62 4.6
			Missing	65
109-109	Q78	During the past 7 days, on how many days did you eat breakfast?		
		1	0 days	181 14.2
		2	1 day	124 8.4
		3	2 days	145 12.0
		4	3 days	125 8.3
		5	4 days	105 7.4
		6	5 days	122 8.9
		7	6 days	88 5.9
		8	7 days	478 34.9
	Missing	59		

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
110-110	Q79	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?			
		1	0 days	189	14.8
		2	1 day	85	6.6
		3	2 days	105	8.5
		4	3 days	121	8.5
		5	4 days	128	9.9
		6	5 days	207	15.1
		7	6 days	128	9.8
		8	7 days	395	26.8
		Missing	69		
111-111	Q80	On an average school day, how many hours do you watch TV?			
		1	I do not watch TV on an average school day	287	21.8
		2	Less than 1 hour per day	324	23.1
		3	1 hour per day	237	17.4
		4	2 hours per day	244	18.6
		5	3 hours per day	137	9.9
		6	4 hours per day	61	3.9
		7	5 or more hours per day	71	5.4
		Missing	66		
112-112	Q81	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?			
		1	I do not play video or computer games or use a computer for something that is not school work	273	19.9
		2	Less than 1 hour per day	191	14.4
		3	1 hour per day	158	12.0
		4	2 hours per day	207	15.4
		5	3 hours per day	170	12.4
		6	4 hours per day	130	9.4
		7	5 or more hours per day	215	16.5
		Missing	83		

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Nebraska High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
113-113	Q82	In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
		1	0 days	740	57.9
		2	1 day	24	2.0
		3	2 days	30	2.2
		4	3 days	109	8.6
		5	4 days	27	1.6
		6	5 days	423	27.7
		Missing	74		
114-114	Q83	During the past 12 months, on how many sports teams did you play?			
		1	0 teams	486	37.2
		2	1 team	306	23.5
		3	2 teams	246	18.2
		4	3 or more teams	317	21.0
		Missing	72		
115-115	Q84	During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?			
		1	0 times	1,149	84.6
		2	1 time	146	10.8
		3	2 times	31	2.6
		4	3 times	13	1.0
		5	4 or more times	13	1.0
		Missing	75		
116-116	Q85	Have you ever been tested for HIV, the virus that causes AIDS?			
		1	Yes	112	8.8
		2	No	1,109	82.2
		3	Not sure	133	9.0
		Missing	73		
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?			
		1	During the past 12 months	1,081	79.2
		2	Between 12 and 24 months ago	127	9.7
		3	More than 24 months ago	51	3.5
		4	Never	18	1.4
		5	Not sure	86	6.2
		Missing	64		

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Nebraska High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
118-118	Q87	Has a doctor or nurse ever told you that you have asthma?			
		1	Yes	280	20.4
		2	No	1,005	74.6
		3	Not sure	70	5.0
			Missing	72	
119-119	Q88	On an average school night, how many hours of sleep do you get?			
		1	4 or less hours	100	7.5
		2	5 hours	159	12.5
		3	6 hours	321	24.1
		4	7 hours	391	29.2
		5	8 hours	296	20.9
		6	9 hours	66	4.4
		7	10 or more hours	22	1.4
	Missing	72			
120-120	Q89	During the past 12 months, how would you describe your grades in school?			
		1	Mostly A's	622	47.4
		2	Mostly B's	460	34.1
		3	Mostly C's	174	11.8
		4	Mostly D's	44	3.0
		5	Mostly F's	15	1.0
		6	None of these grades	5	0.3
		7	Not sure	33	2.6
	Missing	74			
121-121	Q90	When you rode a bicycle during the past 12 months, how often did you wear a helmet?			
		1	I did not ride a bicycle during the past 12 months	505	36.6
		2	Never wore a helmet	724	48.4
		3	Rarely wore a helmet	77	5.3
		4	Sometimes wore a helmet	45	3.5
		5	Most of the time wore a helmet	29	2.2
		6	Always wore a helmet	45	4.0
	Missing	2			

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
122-122	Q91	During the past 30 days, what type of alcohol did you usually drink?		
		1 I did not drink alcohol during the past 30 days	1,011	72.3
		2 I do not have a usual type	53	4.3
		3 Beer	79	5.2
		4 Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	44	4.0
		5 Wine coolers, such as Bartles & Jaymes or Seagrams	14	0.9
		6 Wine	17	1.4
		7 Liquor, such as vodka, rum, scotch, bourbon, or whiskey	138	11.1
		8 Some other type	10	0.7
		Missing	61	
123-123	Q92	During the past 30 days, where did you usually drink alcohol?		
		1 I did not drink alcohol during the past 30 days	1,013	72.4
		2 At my home	149	11.3
		3 At another person's home	168	12.8
		4 While riding in or driving a car or other vehicle	15	1.2
		5 At a restaurant, bar, or club	1	0.2
		6 At a public place such as a park, beach, or parking lot	14	1.1
		7 At a public event such as a concert or sporting event	4	0.5
		8 On school property	4	0.5
		Missing	59	
124-124	Q93	During the past 30 days, how many times did you take prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	1,296	93.7
		2 1 or 2 times	43	3.3
		3 3 to 9 times	22	1.4
		4 10 to 19 times	9	0.7
		5 20 to 39 times	6	0.4
		6 40 or more times	5	0.5
		Missing	46	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
125-125	Q94	During the past 30 days, did you try to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; smoking cigarettes; or skipping meals?		
		1 Yes	204	14.3
		2 No	1,100	80.1
		3 Not sure	74	5.6
		Missing	49	
126-126	Q95	During the past 7 days, how many times did you drink a can, bottle, or glass of a sports drink such as Gatorade or PowerAde?		
		1 I did not drink sports drinks during the past 7 days	554	42.6
		2 1 to 3 times during the past 7 days	473	31.8
		3 4 to 6 times during the past 7 days	187	13.7
		4 1 time per day	63	4.1
		5 2 times per day	51	3.8
		6 3 times per day	21	1.8
		7 4 or more times per day	26	2.2
Missing	52			
127-127	Q96	During the past 7 days, how many times did you drink a can, bottle, or glass of a sugar-sweetened beverage such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, Sunny Delight, or energy drinks such as Red Bull?		
		1 I did not drink sugar-sweetened beverages during the past 7 days	436	32.6
		2 1 to 3 times during the past 7 days	602	43.1
		3 4 to 6 times during the past 7 days	172	11.8
		4 1 time per day	87	6.4
		5 2 times per day	41	3.8
		6 3 times per day	12	0.9
		7 4 or more times per day	23	1.5
Missing	54			

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
128-128	Q97	Are there any foods that you have to avoid because eating the food could cause an allergic reaction, like skin rashes, swelling, itching, vomiting, coughing, or trouble breathing?		
		1 Yes	154	10.4
		2 No	1,038	77.8
		3 Not sure	156	11.8
		Missing	79	
129-129	Q98	During the past 7 days, on how many days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?		
		1 0 days	402	28.7
		2 1 day	117	8.7
		3 2 days	141	10.9
		4 3 days	146	11.4
		5 4 days	127	9.4
		6 5 days	199	13.6
		7 6 days	60	4.4
		8 7 days	178	12.9
		Missing	57	
130-130	Q99	Have you ever been given money, a place to stay, food, or something else of value in exchange for sex?		
		1 Yes	58	4.5
		2 No	1,288	95.5
		Missing	81	
131-131	Q100	During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth?		
		1 0 times	1,255	91.7
		2 1 or 2 times	33	2.3
		3 3 to 9 times	27	2.4
		4 10 to 19 times	20	1.2
		5 20 to 39 times	15	1.2
		6 40 or more times	12	1.2
		Missing	65	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
132-132	Q101	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
		1 Never	1,014	72.7
		2 Rarely	205	16.2
		3 Sometimes	111	8.5
		4 Most of the time	15	1.3
		5 Always	15	1.3
		Missing	67	
185-185	QN8	Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else)		
		1 Yes	111	8.5
		2 No	1,308	91.5
		Missing	8	
186-186	QN9	Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)		
		1 Yes	297	22.1
		2 No	1,120	77.9
		Missing	10	
187-187	QN10	Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	61	6.3
		2 No	898	93.7
		Missing	468	
188-188	QN11	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	458	48.3
		2 No	512	51.7
		Missing	457	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Nebraska High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
190-190	QN13	Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	80	5.4
		2 No	1,326	94.6
		Missing	21	
192-192	QN15	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	99	7.5
		2 No	1,327	92.5
		Missing	1	
193-193	QN16	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)		
		1 Yes	103	7.1
		2 No	1,322	92.9
		Missing	2	
194-194	QN17	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes	287	19.2
		2 No	1,108	80.8
		Missing	32	
195-195	QN18	Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)		
		1 Yes	90	6.0
		2 No	1,325	94.0
		Missing	12	
196-196	QN19	Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)		
		1 Yes	116	8.4
		2 No	1,298	91.6
		Missing	13	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
197-197	QN20	Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)		
		1 Yes	129	10.1
		2 No	1,263	89.9
		Missing	35	
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	56	7.7
		2 No	787	92.3
		Missing	584	
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	61	7.4
		2 No	806	92.6
		Missing	560	
200-200	QN23	Percentage of students who were bullied on school property (ever during the 12 months before the survey)		
		1 Yes	327	22.4
		2 No	1,081	77.6
		Missing	19	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Nebraska High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
201-201	QN24	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)		
		1 Yes	266	17.5
		2 No	1,154	82.5
		Missing	7	
202-202	QN25	Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)		
		1 Yes	396	27.0
		2 No	1,025	73.0
		Missing	6	
203-203	QN26	Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)		
		1 Yes	250	16.1
		2 No	1,163	83.9
		Missing	14	
204-204	QN27	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
		1 Yes	213	14.1
		2 No	1,208	85.9
		Missing	6	
205-205	QN28	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	105	8.0
		2 No	1,181	92.0
		Missing	141	
206-206	QN29	Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	25	2.2
		2 No	1,236	97.8
		Missing	166	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Nebraska High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
207-207	QN30	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	348	24.0
		2 No	1,015	76.0
		Missing	64	
208-208	QN31	Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)		
		1 Yes	128	8.4
		2 No	1,244	91.6
		Missing	55	
209-209	QN32	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	110	7.4
		2 No	1,257	92.6
		Missing	60	
210-210	QN33	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		1 Yes	3	2.3
		2 No	106	97.7
		Missing	1,318	
211-211	QN34	Percentage of students who ever used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo])		
		1 Yes	485	36.1
		2 No	913	63.9
		Missing	29	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
212-212	QN35	Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)			
		1	Yes	120	9.4
		2	No	1,148	90.6
			Missing	159	
213-213	QN36	Percentage of students who usually got their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, gas station, or vape store, during the 30 days before the survey, among students who currently used electronic vapor products and who were aged <18 years)			
		1	Yes	8	8.1
		2	No	97	91.9
			Missing	1,322	
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)			
		1	Yes	87	5.3
		2	No	1,323	94.7
			Missing	17	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)			
		1	Yes	85	6.7
		2	No	1,320	93.3
			Missing	22	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
216-216	QN39	Percentage of students who tried to quit using all tobacco products (including cigarettes, cigars, smokeless tobacco, shisha or hookah tobacco, and electronic vapor products, ever during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)			
		1	Yes	119	41.2
		2	No	150	58.8
			Missing	1,158	
217-217	QN40	Percentage of students who ever drank alcohol (at least one drink of alcohol, on at least 1 day during their life)			
		1	Yes	731	54.0
		2	No	637	46.0
			Missing	59	
218-218	QN41	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)			
		1	Yes	195	13.3
		2	No	1,154	86.7
			Missing	78	
219-219	QN42	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)			
		1	Yes	299	24.4
		2	No	1,005	75.6
			Missing	123	
220-220	QN43	Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)			
		1	Yes	96	31.7
		2	No	199	68.3
			Missing	1,132	
221-221	QN44	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)			
		1	Yes	125	10.5
		2	No	1,189	89.5
			Missing	113	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
222-222	QN45	Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)		
		1 Yes	38	2.7
		2 No	1,216	97.3
		Missing	173	
223-223	QN46	Percentage of students who ever used marijuana (one or more times during their life)		
		1 Yes	317	25.4
		2 No	1,076	74.6
		Missing	34	
224-224	QN47	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	67	5.3
		2 No	1,329	94.7
		Missing	31	
225-225	QN48	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	161	13.4
		2 No	1,231	86.6
		Missing	35	
226-226	QN49	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)		
		1 Yes	51	4.1
		2 No	1,357	95.9
		Missing	19	
227-227	QN50	Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)		
		1 Yes	90	6.0
		2 No	1,317	94.0
		Missing	20	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN51	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes	25	2.1
		2 No	1,373	97.9
		Missing	29	
229-229	QN52	Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life)		
		1 Yes	37	3.0
		2 No	1,372	97.0
		Missing	18	
230-230	QN53	Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)		
		1 Yes	50	3.9
		2 No	1,358	96.1
		Missing	19	
231-231	QN54	Percentage of students who ever used synthetic marijuana (also called "K2," "Spice," "fake weed," "King Kong," "Yucatan Fire," "Skunk," or "Moon Rocks," one or more times during their life)		
		1 Yes	75	5.2
		2 No	1,324	94.8
		Missing	28	
232-232	QN55	Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)		
		1 Yes	41	3.5
		2 No	1,366	96.5
		Missing	20	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
233-233	QN56	Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)			
		1	Yes	196	14.3
		2	No	1,205	85.7
			Missing	26	
234-234	QN57	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)			
		1	Yes	22	1.6
		2	No	1,372	98.4
			Missing	33	
235-235	QN58	Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)			
		1	Yes	250	18.5
		2	No	1,137	81.5
			Missing	40	
236-236	QN59	Percentage of students who ever had sexual intercourse			
		1	Yes	380	29.1
		2	No	891	70.9
			Missing	156	
237-237	QN60	Percentage of students who had sexual intercourse for the first time before age 13 years			
		1	Yes	40	2.8
		2	No	1,237	97.2
			Missing	150	
238-238	QN61	Percentage of students who had sexual intercourse with four or more persons during their life			
		1	Yes	82	6.0
		2	No	1,190	94.0
			Missing	155	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Nebraska High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
239-239	QN62	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	268	20.5
		2 No	1,001	79.5
		Missing	158	
240-240	QN63	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	33	13.7
		2 No	232	86.3
		Missing	1,162	
241-241	QN64	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	141	53.3
		2 No	120	46.7
		Missing	1,166	
242-242	QN65	Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	53	21.2
		2 No	206	78.8
		Missing	1,168	
245-245	QN68	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	424	29.3
		2 No	946	70.7
		Missing	57	
246-246	QN69	Percentage of students who were trying to lose weight		
		1 Yes	617	43.8
		2 No	774	56.2
		Missing	36	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Nebraska High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
247-247	QN70	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	419	31.0
		2 No	956	69.0
		Missing	52	
248-248	QN71	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	154	12.1
		2 No	1,229	87.9
		Missing	44	
249-249	QN72	Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)		
		1 Yes	569	42.7
		2 No	812	57.3
		Missing	46	
250-250	QN73	Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)		
		1 Yes	420	31.2
		2 No	952	68.8
		Missing	55	
251-251	QN74	Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)		
		1 Yes	689	49.6
		2 No	692	50.4
		Missing	46	
252-252	QN75	Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)		
		1 Yes	229	16.9
		2 No	1,146	83.1
		Missing	52	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
253-253	QN76	Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	361	28.5
		2 No	1,005	71.5
		Missing	61	
254-254	QN77	Percentage of students who did not drink milk (during the 7 days before the survey)		
		1 Yes	229	17.5
		2 No	1,133	82.5
		Missing	65	
255-255	QN78	Percentage of students who did not eat breakfast (during the 7 days before the survey)		
		1 Yes	181	14.2
		2 No	1,187	85.8
		Missing	59	
256-256	QN79	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	730	51.7
		2 No	628	48.3
		Missing	69	
257-257	QN80	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	269	19.2
		2 No	1,092	80.8
		Missing	66	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
258-258	QN81	Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)		
		1 Yes	515	38.3
		2 No	829	61.7
		Missing	83	
259-259	QN82	Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)		
		1 Yes	613	42.1
		2 No	740	57.9
		Missing	74	
260-260	QN83	Percentage of students who played on at least one sports team (counting any teams run by their school or community groups, during the 12 months before the survey)		
		1 Yes	869	62.8
		2 No	486	37.2
		Missing	72	
261-261	QN84	Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)		
		1 Yes	203	15.4
		2 No	1,149	84.6
		Missing	75	
262-262	QN85	Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)		
		1 Yes	112	8.8
		2 No	1,242	91.2
		Missing	73	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)		
		1 Yes	1,081	79.2
		2 No	282	20.8
		Missing	64	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Nebraska High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	280	20.4
		2 No	1,075	79.6
		Missing	72	
265-265	QN88	Percentage of students who got 8 or more hours of sleep (on an average school night)		
		1 Yes	384	26.8
		2 No	971	73.2
		Missing	72	
266-266	QN89	Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)		
		1 Yes	1,082	81.4
		2 No	271	18.6
		Missing	74	
267-267	QN90	Percentage of students who rarely or never wore a bicycle helmet (during the 12 months before the survey, among students who had ridden a bicycle)		
		1 Yes	801	84.7
		2 No	119	15.3
		Missing	507	
268-268	QN91	Percentage of students who reported liquor as the type of alcohol they usually drank (such as vodka, rum, scotch, bourbon, or whiskey, during the 30 days before the survey, among students who drank alcohol and who have a usual type of alcohol that they drink)		
		1 Yes	138	47.4
		2 No	164	52.6
		Missing	1,125	
269-269	QN92	Percentage of students who reported their home or another person's home as the place they usually drank alcohol (during the 30 days before the survey, among students who drank alcohol)		
		1 Yes	317	87.5
		2 No	38	12.5
		Missing	1,072	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
270-270	QN93	Percentage of students who currently took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (including drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during the 30 days before the survey)			
		1	Yes	85	6.3
		2	No	1,296	93.7
			Missing	46	
271-271	QN94	Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; smoking cigarettes; or skipping meals (during the 30 days before the survey)			
		1	Yes	204	14.3
		2	No	1,174	85.7
			Missing	49	
272-272	QN95	Percentage of students who did not drink a can, bottle, or glass of a sports drink (such as Gatorade or PowerAde, not including low-calorie sports drinks such as Propel or G2, one or more times per day during the 7 days before the survey)			
		1	Yes	554	42.6
		2	No	821	57.4
			Missing	52	
273-273	QN96	Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage (such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, Sunny Delight, or energy drinks such as Red Bull, not including soda or pop, sports drinks, energy drinks, or 100% fruit juice, one or more times per day during the 7 days before the survey)			
		1	Yes	163	12.5
		2	No	1,210	87.5
			Missing	54	
274-274	QN97	Percentage of students who have to avoid some foods because eating the food could cause an allergic reaction (such as skin rashes, swelling, itching, vomiting, coughing, or trouble breathing)			
		1	Yes	154	10.4
		2	No	1,194	89.6
			Missing	79	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
275-275	QN98	Percentage of students who did exercises to strengthen or tone their muscles (such as push-ups, sit-ups, or weight lifting, on three or more days during the 7 days before the survey)		
		1 Yes	710	51.7
		2 No	660	48.3
		Missing	57	
276-276	QN99	Percentage of students who have ever been given money, a place to stay, food, or something else of value in exchange for sex		
		1 Yes	58	4.5
		2 No	1,288	95.5
		Missing	81	
277-277	QN100	Percentage of students who used an indoor tanning device (such as a sunlamp, sunbed, or tanning booth [not including getting a spray-on tan], one or more times during the 12 months before the survey)		
		1 Yes	107	8.3
		2 No	1,255	91.7
		Missing	65	
278-278	QN101	Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)		
		1 Yes	30	2.5
		2 No	1,330	97.5
		Missing	67	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	33	2.1
		2 No	1,334	97.9
		Missing	60	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	22	1.2
		2 No	1,345	98.8
		Missing	60	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNTB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	141	10.2
		2 No	1,222	89.8
		Missing	64	
353-353	QNTB3	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	180	12.3
		2 No	1,182	87.7
		Missing	65	
354-354	QNTB4	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes	204	16.1
		2 No	1,041	83.9
		Missing	182	
355-355	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	13	4.3
		2 No	246	95.7
		Missing	1,168	
356-356	QNSHPARG	Percentage of students who used a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	15	5.9
		2 No	244	94.1
		Missing	1,168	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
357-357	QNOTHHPL	Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)			
		1	Yes	81	31.4
		2	No	178	68.6
			Missing	1,168	
358-358	QNDUALBC	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)			
		1	Yes	26	9.7
		2	No	231	90.3
			Missing	1,170	
359-359	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)			
		1	Yes	23	7.0
		2	No	236	93.0
			Missing	1,168	
360-360	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)			
		1	Yes	92	7.6
		2	No	1,277	92.4
			Missing	58	
361-361	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)			
		1	Yes	790	57.0
		2	No	579	43.0
			Missing	58	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
362-362	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	335	26.2
		2 No	1,034	73.8
		Missing	58	
363-363	QNFR3	Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	173	14.0
		2 No	1,196	86.0
		Missing	58	
364-364	QNVEG0	Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes	76	5.8
		2 No	1,285	94.2
		Missing	66	
365-365	QNVEG1	Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes	839	61.3
		2 No	522	38.7
		Missing	66	
366-366	QNVEG2	Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes	324	23.8
		2 No	1,037	76.2
		Missing	66	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
367-367	QNVEG3	Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes	153	11.8
		2 No	1,208	88.2
		Missing	66	
368-368	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	255	18.2
		2 No	1,111	81.8
		Missing	61	
369-369	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	131	10.3
		2 No	1,235	89.7
		Missing	61	
370-370	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	60	4.7
		2 No	1,306	95.3
		Missing	61	
371-371	QNMILK1	Percentage of students who drank one or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)		
		1 Yes	531	38.1
		2 No	831	61.9
		Missing	65	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
372-372	QNMILK2	Percentage of students who drank two or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)		
		1 Yes	304	21.4
		2 No	1,058	78.6
		Missing	65	
373-373	QNMILK3	Percentage of students who drank three or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)		
		1 Yes	148	10.0
		2 No	1,214	90.0
		Missing	65	
374-374	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)		
		1 Yes	478	34.9
		2 No	890	65.1
		Missing	59	
375-375	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	189	14.8
		2 No	1,169	85.2
		Missing	69	
376-376	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	395	26.8
		2 No	963	73.2
		Missing	69	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
377-377	QNDLYPE	Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)		
		1 Yes	423	27.7
		2 No	930	72.3
		Missing	74	
378-378	QNNODNT	Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)		
		1 Yes	18	1.4
		2 No	1,345	98.6
		Missing	64	
379-379	QNSPDRK1	Percentage of students who drank a can, bottle, or glass of a sports drink one or more times per day (such as Gatorade or Powerade, not counting low calorie sports drinks such as Propel or G2, during the 7 days before the survey)		
		1 Yes	161	11.9
		2 No	1,214	88.1
		Missing	52	
380-380	QNSPDRK2	Percentage of students who drank a can, bottle, or glass of a sports drink two or more times per day (such as Gatorade or Powerade, not counting low calorie sports drinks such as Propel or G2, during the 7 days before the survey)		
		1 Yes	98	7.8
		2 No	1,277	92.2
		Missing	52	
381-381	QNSPDRK3	Percentage of students who drank a can, bottle, or glass of a sports drink three or more times per day (such as Gatorade or Powerade, not counting low calorie sports drinks such as Propel or G2, during the 7 days before the survey)		
		1 Yes	47	4.1
		2 No	1,328	95.9
		Missing	52	

2016 YOUTH RISK BEHAVIOR SURVEY RESULTS

Nebraska High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
385-385	QNOBESE	Percentage of students who had obesity (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)**		
		1 Yes	210	14.6
		2 No	1,168	85.4
		Missing	49	
386-386	QNOWT	Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)**		
		1 Yes	238	16.6
		2 No	1,140	83.4
		Missing	49	
387-396	WEIGHT			
397-399	STRATUM			
400-405	PSU			
409-413	BMIPCT			
414-415	RACEETH	1 Am Indian/Alaska Native	16	0.8
		2 Asian	23	1.9
		3 Black or African American	26	6.6
		4 Native Hawaiian/Other PI	5	0.4
		5 White	1,076	68.4
		6 Hispanic/Latino	50	4.6
		7 Multiple - Hispanic	138	13.2
		8 Multiple - Non-Hispanic	64	4.0
			Missing	29
416-418	Q6ORIG			
419-421	Q7ORIG			